

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	("5901327").PN.	USPAT	OR	OFF	2005/09/13 11:17
L2	1	("0600000").PN.	USPAT	OR	OFF	2005/09/13 11:30
L3	1	("6799245").PN.	USPAT	OR	OFF	2005/09/13 11:30
L4	4	((("5901327") or ("5335352") or ("5269011") or ("5206939"))).PN.	USPAT	OR	OFF	2005/09/13 11:30
L5	1	server\$1 and L4	USPAT	OR	OFF	2005/09/13 11:38
L6	1	("6209002").PN.	USPAT	OR	OFF	2005/09/13 11:30
L7	1036	(711/112).CCLS.	USPAT	OR	OFF	2005/09/13 11:30
L8	1110	(711/114).CCLS.	USPAT	OR	OFF	2005/09/13 11:30
L9	734	(711/162).CCLS.	USPAT	OR	OFF	2005/09/13 11:30
L10	222	(709/214).CCLS.	USPAT	OR	OFF	2005/09/13 11:30
L11	834	(710/5).CCLS.	USPAT	OR	OFF	2005/09/13 11:30
L12	741	(710/62).CCLS.	USPAT	OR	OFF	2005/09/13 11:30
L13	334	(710/74).CCLS.	USPAT	OR	OFF	2005/09/13 11:30
L14	1254	(714/6).CCLS.	USPAT	OR	OFF	2005/09/13 11:30
L15	823	(host adj1 bus\$1 adj1 adapt\$3)	USPAT	OR	OFF	2005/09/13 11:30
L16	91	(L7 or L8 or L9 or L10 or L11 or L12 or L13 or L14) and L15	USPAT	OR	OFF	2005/09/13 11:38
L17	60	server\$1 and L16	USPAT	OR	OFF	2005/09/13 11:30
L18	72	server\$1 same L15	USPAT	OR	OFF	2005/09/13 11:30
L19	19	L16 and L18	USPAT	OR	OFF	2005/09/13 11:35
L20	28117	(request\$1 or message\$1) near2 (id or identification or number)	USPAT	OR	OFF	2005/09/13 11:49
L21	5046	(L7 or L8 or L9 or L10 or L11 or L12 or L13 or L14)	USPAT	OR	OFF	2005/09/13 11:38
L22	64	(server\$1 same 20) and 21	USPAT	OR	OFF	2005/09/13 11:55
L23	65	(backup or (back\$3 adj1 up) or redundant\$2) same server\$1 same 20	USPAT	OR	OFF	2005/09/13 11:59
L27	37059	(request\$1 or message\$1) near2 (id or identification or number)	US-PGPUB; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 11:53
L28	63	(backup or (back\$3 adj1 up) or redundant\$2) same server\$1 same 27	US-PGPUB; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 11:57

L29	4316	((request\$1 or message\$1) near2 (id or identification or number)) with (respond\$3 or response or acknowledg\$5)	US-PGPUB; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 11:54
L30	4242	((request\$1 or message\$1) near2 (id or identification or number)) with (respond\$3 or response or acknowledg\$5)	USPAT	OR	OFF	2005/09/13 11:54
L31	468	(server\$1 same 30)	USPAT	OR	OFF	2005/09/13 11:55
L32	48	(server\$1 same 30 same (adapter or adaptor or interface))	USPAT	OR	OFF	2005/09/13 11:55
L33	139	(backup or (back\$3 adj1 up) or redundant\$2 or copy\$3 or copies) same 29	US-PGPUB; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 11:59
L34	42	(backup or (back\$3 adj1 up) or redundant\$2 or copy\$3 or copies) same 29 same (server\$1 or adapter\$1 or adaptor\$1 or interface\$1)	US-PGPUB; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 11:59
L35	215	(backup or (back\$3 adj1 up) or redundant\$2 or copy\$3 or copies) same 30	USPAT	OR	OFF	2005/09/13 12:00
L36	14	35 and 21	USPAT	OR	OFF	2005/09/13 12:00
L37	77	(backup or (back\$3 adj1 up) or redundant\$2 or copy\$3 or copies) same 30 same (server\$1 or adapter\$1 or adaptor\$1 or interface\$1)	USPAT	OR	OFF	2005/09/13 12:01

INTERFERENCE SEARCH

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	11153	((backup or (back\$3 adj1 up) or redundant\$2 or copy\$3 or copies) and (server\$1 or adapter\$1 or adaptor\$1 or interface\$1)).clm.	US-PGPUB; USPAT	OR	OFF	2005/09/13 12:14
L2	5932	((backup or (back\$3 adj1 up) or redundant\$2 or copy\$3 or copies) and (server\$1 or adapter\$1 or adaptor\$1 or interface\$1)).clm.	US-PGPUB	OR	OFF	2005/09/13 12:14
L3	665	((request\$1 or message\$1) near2 (id or identification or number)) with (respond\$3 or response or acknowledg\$5)).clm.	US-PGPUB	OR	OFF	2005/09/13 12:20
L4	33	2 and 3	US-PGPUB	OR	OFF	2005/09/13 12:15
L5	1637	((request\$1 or message\$1) near2 (id or identification or number)) with (respond\$3 or response or acknowledg\$5)).clm.	US-PGPUB; USPAT	OR	OFF	2005/09/13 12:20
L6	67	1 and 5	US-PGPUB; USPAT	OR	OFF	2005/09/13 12:21